



Trust HQ Rikenel Montpellier Gloucester GL1 1LY

Direct Tel: 01452 894264 E-mail: <u>2gnft.Information-Freedom@nhs.net</u> Website: <u>www.2gether.nhs.uk</u>

4 June 2018

## Freedom of Information Request – Ref: FOI 024-1819

Thank you for your recent Freedom of Information request. I am writing to confirm that the Trust has now finished its search for the information you requested.

Unfortunately, the Trust is unable to respond to your request in full. The Trust estimates that the work involved in collating the data in order to respond would considerably exceed the 18 hours limit, specified in Section 12 of the Freedom of Information Act and therefore, exceeds the appropriate limit of £450.

However, the Trust is able to provide you with the attached information in response to Question 1 only. Please note the original spreadsheet included some deaths, in error which were not concluded to be suicide. These have been removed in the updated list.

 Please update the details in FOI 080KD-1718 to present day and also include details for inquests that are still in progress.
 We have not included inquests that are still in progress as we have no way of knowing at this stage how these will be determined.

Please identify any deaths that occurred whilst the Trust were acting as commissioners of care (eg out of county placements) There have been no suicides determined (to date) for out of county patients

## There have been no suicides determined (to date) for out of county patients during this time.

Please supply the MH diagnosis of service users who have died through suicide/suspected suicide whilst under your Trust, applying the following criteria:

- Concluded inquests from <u>January 2017</u> to date.
- The primary and secondary (if applicable) MH diagnosis of the service user at the time of their death.

• To include all inquest verdicts, i.e. suicide, open, narrative and other. Please see attached spreadsheet.

- 2. Please identify for each death listed in the updated spreadsheet referred to above :
  - a) the Consultant acting as Responsible Clinician at the time of death; and
  - b) Consultants involved with each patient in the 6 months prior to death (Please highlight any involvement that was cover for less than 1 working week)
  - c) Any consultants involved with the respective patients but who were absent from work or away from normal place of duty (eg sickness or training) for more than 1 working week during the 6 months prior to each death."

Should you have any queries in relation to our response in this letter, please do not hesitate to contact me. If you are unhappy with the response you have received in relation to your request and wish to ask us to review our response, you should write to:-

Anna Hilditch Assistant Trust Secretary, <sup>2</sup>gether NHS Foundation Trust Rikenel Montpellier GLOUCESTER GL1 1LY Tel: 01452 894165 E-mail: anna.hilditch@nhs.net

If you are not content with the outcome of any review, you may apply directly to the Information Commissioner's Office (ICO) for further advice/guidance. Generally, the ICO will not consider your case unless you have exhausted your enquiries with the Trust which should include considering the use of the Trust's formal complaints procedure. The ICO can be contacted at: The Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

Yours sincerely,

Gisa Evans

LISA EVANS Information Governance Officer <sup>2</sup>gether NHS Foundation Trust

## **Copyright & Reuse of Public Sector Information**

The information and material that is routinely published is subject to <sup>2</sup>gether NHS Foundation Trust's copyright unless otherwise indicated. Unless expressly indicated on the material to the contrary, it may be reproduced free of charge in any format or medium, provided it is reproduced accurately and not used in a misleading manner. Where any of the copyright items are being re-published or copied to others, you must identify the source of the material and acknowledge the copyright status. Permission to reproduce material does not extend to any material accessed through the Trust website that is the copyright of third parties. You must obtain authorisation to reproduce such material from the copyright holders concerned. For further guidance on a range of copyright issues, see the Office of Public Sector Information (OPSI) web site: www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/index.htm

or write to: OPSI, 102 Petty France, London SW1H 9AJ.

/ear	Primary Diagnosis	Secondary Diagnosis	Inquest Conclusio
			Killed Himself Killed Himself
	Personality disorder		Killed self
			Killed self
			Suicide
2010	Chronic depression related to physical pain		Took his own life
2010	Depressive episode		Suicide
	OCD	Contamination anxiety and panic attacks	Killed herself
			Killed Himself
			Suicide
			Suicide
			Killed Himself
			Took her own life
			Suicide Suicide
	Opiate dependency		Took his own life
	Opiate dependency Opiate dependency	Anxiety disorder	Suicide
	Schizo-affective disorder		Took his own life
	Anxiety and depression		Killed Himself
	Depressive episode		Took his own life
			Took his own life
011			Suicide
	Anxiety and depression		Took her own life
	Depression		Took her own life
	Depression		Suicide
	Opiate dependency	Alcohol use	Took his own life
	Agitated depression	General anxiety	Took his own life
2011 2012 2013 2014	Reactive depression		Took his own life
	Narcissistic personality		Took his own life
	Post traumatic stress disorder	Grief reaction	Suicide
	Asperger's syndrome		Took her own life
	Moderate depressive episode complicated by alcohol abuse in a vulnerable		
	personality		Took his own life
			Took his own life
2012			Took his own life
012	Moderate depression in context of stressful life events		Suicide
	Bi-polar affective disorder		Took her own life
	Paranoid schizophrenia		Suicide
	Mixed anxiety and depressive disorder as a psychological response		Suicide
	Moderate depressive episode	Personal history of self-harm	Took her own life
	Bi-polar disorder		Suicide
	A set of the second		Took his own life
	Anxiety and depression		Suicide
	Problematic alcohol use Post traumatic stress disorder	Conceptional entirety discorder and requirement depression discorder	Suicide Suicide
	Post traumatic stress disorder	Generalised anixety disorder and recurrent depressive disorder	Took his own life
	Adjustment reaction		Took his own life
	Acute psychotic episode		Took his own life
	Acute psychotic episode		Took his own life
013	Adjustment reaction disorder		Took her own life
	Moderate depressive episode		Took her own life
	Depressive episode without psychotic symptoms		Suicide
	Obsessional personality		Suicide
	Moderate depressive disorder	Mixed personality disorder with borderline traits	Suicide
	Moderate depressive episode		Suicide
	Anxiety and depression with associated anger issues		Suicide
			Took his own life
			Suicide
	Moderat depressive episode		Suicide
	Post traumatic stress disorder	Acute stress reaction	Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other		
0110	psychoactive substances	Acute polumorphic psychotic disorder without symptoms of schizophrenia	Took her own life
	Schizophrenia		Suicide
0011	Emotionally unstable personality disorder		Took own life
	Schizoaffective disorder, manic type		Took his own life
2013			Suicide
	Emotionally unstable personality disorder	Substance misuse and alcoholism	Suicide
	Adjustment disorder	Traits of dependant personality disorder	Suicide
D10 D11 D12 D13			
	Recurrent depressive disorder, current episode severe with psychotic symptoms		Suicide
	Anxiety and depression		Took his own life
			Suicide
	Mood and behavioural concerns related to relationship difficulties in the second of		Suicide
	Mood and behavioural concerns related to relationship difficulties in the context of alcohol use		Suicido
-			Suicide Suicide
	Enduring non-psychotic disorder (high disability)		Suicide
	Manic episose, likely drug induced	1	Suicide
	Recurrent depression		Suicide
	Recurrent depression		Suicide
	· · · · · · · · · · · · · · · · · · ·		Suicide
2015	Adjustment disorder	1	Suicide
	Emotionally unstable personality disorder		Suicide
	Severe depressive episode with psychotic features	1	Suicide
	Anxiety and depression secondary to trauma	1	Suicide
	Moderate depressive episode	1	Suicide
			Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other		Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances		
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild cofnitive disorder		
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild confitute disorder Paranoid schizophrenia		Took his own life
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild cofnitive disorder Paranoid schizophrenia Personality disorder		Took his own life Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild confitute disorder Paranoid schizophrenia		Took his own life Suicide Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild cofnitive disorder Paranoid schizophrenia Personality disorder		Took his own life Suicide Suicide Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild cofnitive disorder Paranoid schizophrenia Personality disorder		Took his own life Suicide Suicide
	Mental and behavioural disorders due to mulitple drug use and use of other psychoactive substances Mild cofnitive disorder Paranoid schizophrenia Personality disorder		Took his own life Suicide Suicide Suicide Suicide

	Depression		Suicide
	Mixed and other personality disorders		Suicide
	Non organic psychosis	Drug use	Suicide
			Suicide
			Suicide
	Unspecified dementia	Adjustment disorder	Suicide
			Suicide
	Mental and behavioural disorders due to use of alcohol		Suicide
	Adjustment disorder		Suicide
	Severe depressive episode without psychotic symptoms		Suicide
	Paranoid schizophrenia	Mixed anxiety and depression	Suicide
			Suicide
	Anxiety and drepression		Suicide
	Paranoid schizophrenia		Suicide
	Bi-polar affective disorder	mild to moderate depression	Suicide
	Adjustment disorder		Took his own life
	Anxiety disorder	Emotionally unstable personality disorder and dysthymia	Suicide
	Recurrent depressive disorder	Adjustment disorder	Suicide
	Mild depressive episode	Generalised anixety disorder	Suicide
	Recurrent depressive disorder		Suicide
	Moderate depressive episode		Suicide
	Unspecified nonorganic ppsychosis	mental and behavioural disorders due to use of tobacco	Suicide
2017	Depressive episode		Suicide
2017	No formal diagnosis		Suicide
	Recurrent depresseive disorder		Suicide
	Acute stress reaction		Suicide
	Recurrent depressive disorder, severe without psychotic symptoms		Suicide
	Depressive episode		Suicide
	Paranoid schizophrenia		Suicide
	Emotionally unstable personality disorder		Suicide
		Paranoid schizophrenia, mental and behavioural disorders due to use of tobacco,	
	Bipolar affective disorder	emotionally unstable personality disorder	Suicide